

**Interstellar Testing Centre Pvt. Ltd. (A group company of  
Qualitek Labs Limited)**

ULR No. :  
TC1489625000014112F

DOC No. : SR01WT-2506040002 Plot No. 86 Industrial Area Phase 1, Panchkula,  
Telephone : +91 8800990919 Panchkula, Panchkula, Haryana, India - 134109  
FAX : -  
E-Mail : [kamal.grover@itclabs.com](mailto:kamal.grover@itclabs.com)  
BO Code : PRBO

**Test REPORT AS PER : IS 13428 (2024)**

**QR Code/Barcode : 100000847498**

**REPORT NO : PRBO/69701/20250529/SM/1\_1**

DATE : 20 Jun, 2025

PART A. PARTICULARS OF SAMPLE SUBMITTED

a) Customer Name & Address : -  
b) Nature of sample : SM  
c) Grade/Variety/Type/Class Size etc : Type / Size / Grade / Variety : 20 Litre PET Jars  
d) Declare values, if any : Nil  
e) Batch No. & Date of Manufacture : Trial 01/  
f) Quantity : 20 Litre x 02 Nos.  
g) Date of Receipt : 04 Jun, 2025  
h) BIS Seal : Verified by Sample Cell  
i) IO's Signature : Verified by Sample Cell  
j) Any other Information / Expiry Date, If any : Packaged Natural Mineral Water filled in 20 Litre  
PET Jars/30 Days from the Date of Manufacture  
k) Date of Commencement of Testing : 04 Jun, 2025  
l) Date of Completion of Testing :  
m) Section Code : 25C652DP  
n) Section Report No. : 25C652DP\_1  
o) Report Type : New  
p) Reference Report No. :  
q) Remarks : NA

**Baij Nath**  
**OIC SAMPLE CELL**  
(Authorized Signatory)  
Authorized on: 20 Jun, 2025 13:01 PM

1.

This is a Computer Generated Report.

.....  
PART B. SUPPLEMENTARY INFORMATION

- |  |                |
|--|----------------|
| 1. Reference to sampling procedure, wherever applicable.   | Not Applicable |
| 2. Supporting documents for the measurements taken and results derived like graphs, table sketches and or photographs as appropriate to test report, if any. | Yes            |
| 3. Deviation from the test methods as prescribed in relevant ISS/Work instruction, if any.   | Not Applicable |
| 3. NABL Report required ?  | -              |

---

**Vikrant Saini**  
**OIC Chemical**  
(Authorized Signatory)  
Authorized on: 20 Jun, 2025 12:52 PM

This is a Computer Generated Report.

## PART C. TEST RESULT

S.No.	Clause No Table No. Sl. No	Parameter - Method of test	Test Description	Min Limit	Max Limit	Unit	Result/ Observation
1	Cl-6.3, Annex N (XVI)	Dieldrin	mg/l, AOAC 990.06	-	-	-	BLQ(LOQ:0.00001)
2	Cl- 6.3, Annex N (xvi)	Aldrin	mg/ l, AOAC 990.06	-	-	-	BLQ(LOQ:0.00001)
3	Cl- 6.3, Annex N (xv)	malaoxon	mg/ l	-	-	-	BLQ(LOQ:0.00001)
4	Cl- 6.3, Annex N (xv)	Malathion	mg/ l	-	-	-	BLQ(LOQ:0.00001)
5	Cl- 6.3, Annex N (xiv)	Methyl paraoxon	mg/ l	-	-	-	BLQ(LOQ:0.00001)
6	Cl- 6.3, Annex N (xiv)	Methyl parathion	mg/ l	-	-	-	BLQ(LOQ:0.00001)
7	Cl- 6.3, Annex N (xiii)	Atrazine	mg/ l	-	-	-	BLQ(LOQ:0.00001)
8	Cl- 6.3, Annex N (xii)	Alachlor	mg/ l	-	-	-	BLQ(LOQ:0.00001)
9	Cl- 6.3, Annex N (xi)	Isoproturon	mg/ l	-	-	-	BLQ(LOQ:0.00001)
10	Cl- 6.3, Annex N (x)	Butachlor	mg/ l	-	-	-	BLQ(LOQ:0.00001)
11	Cl- 6.3, Annex N (ix)	2,4-D	mg/ l	-	-	-	BLQ(LOQ:0.00001)
12	Cl- 6.3, Annex N (viii)	phorate sulphone	mg/ l	-	-	-	BLQ(LOQ:0.00001)
13	Cl- 6.3, Annex N (viii)	phorate sulphoxide	mg/ l	-	-	-	BLQ(LOQ:0.00001)
14	Cl- 6.3, Annex N (viii)	Phorate and its oxygen analogue	mg/ l	-	-	-	BLQ(LOQ:0.00001)
15	Cl- 6.3, Annex N (vii)	Chlorpyrifos	mg/ l	-	-	-	BLQ(LOQ:0.00001)
16	Cl- 6.3, Annex N (vi)	Ethion	mg/ l	-	-	-	BLQ(LOQ:0.00001)
17	Cl- 6.3, Annex N (v)	Monocrotophos	mg/ l	-	-	-	BLQ(LOQ:0.00001)
18	Cl- 6.3, Annex N (iv)	Endosulfan - sulphate	mg/ l	-	-	-	BLQ(LOQ:0.00001)
19	Cl- 6.3, Annex N (iv)	Endosulfan - $\beta$	mg/ l	-	-	-	BLQ(LOQ:0.00001)
20	Cl- 6.3, Annex N (iv)	Endosulfan - $\alpha$	mg/ l	-	-	-	BLQ(LOQ:0.00001)
21	Cl- 6.3, Annex N (iii)	$\delta$ - HCH	mg/ l	-	-	-	BLQ(LOQ:0.00001)
22	Cl- 6.3, Annex N (iii)	$\beta$ -HCH	mg/ l	-	-	-	BLQ(LOQ:0.00001)
23	Cl- 6.3, Annex N (iii)	$\alpha$ -HCH	mg/ l	-	-	-	BLQ(LOQ:0.00001)
24	Cl- 6.3, Annex N (ii)	$\gamma$ -HCH (lindane)	mg/ l, AOAC 990.06	-	-	-	BLQ(LOQ:0.00001)
25	Cl-6.3, Annex N (i)	O,P-DDD	mg/ l	-	-	-	BLQ(LOQ:0.00001)
26	Cl-6.3, Annex N (i)	P,P- DDD	mg/ l	-	-	-	BLQ(LOQ:0.00001)

27	Cl- 6.3, Annex N (i)	O,P -DDT	mg/ l	-	-	-	BLQ(LOQ:0.00001)
28	Cl- 6.3, Annex N (i)	P,P- DDT	mg/ l	-	-	-	BLQ(LOQ:0.00001)
29	Cl- 6.3, Annex N (i)	O,P -DDE	mg/ l	-	-	-	BLQ(LOQ:0.00001)
30	Cl- 6.3, Annex N (i)	P,P -DDE	mg/ l	-	-	-	BLQ(LOQ:0.00001)
31	6.2/Table 3/x	Uranium	mg/ l	-	0.03	Mg/l	0.003 (mg/l)
32	6.2/Table 3/ix	Polynuclear aromatic hydrocarbons	mg/ l	-	-	-	BLQ(LOQ:0.00001)
33	6.2/Table 3/viii	Polychlorinated biphenyle (PCB)	mg/ l	-	-	-	BLQ(LOQ:0.00001)
34	6.2/Table 3/vii	Nickel	mg/ l	-	-	-	BLQ(LOQ:0.002)
35	6.2/Table 3/vi	Lead	mg/ l	-	-	-	BLQ(LOQ:0.002)
36	6.2/Table 3/v	Mercury	mg/ l	-	-	-	BLQ(LOQ:0.001)
37	6.2/Table 3/iv	Chromium	mg/ l	-	-	-	BLQ(LOQ:0.002)
38	6.2/Table 3/iii	Cyanide	mg/ l	-	-	-	Absent
39	6.2/Table 3/ii	Cadmium	mg/ l	-	-	-	BLQ(LOQ:0.002)
40	6.2/Table 3/i	Arsenic	mg/ l	-	-	-	BLQ(LOQ:0.002)
41	6.2/Table 2/xx	Anionic Surface active agents	mg/ l	-	-	-	BLQ(LOQ:0.05)
42	6.2/Table 2/xix	Phenolic Compounds	mg/ l	-	-	-	BLQ(LOQ:0.001)
43	6.2/Table 2/xviii	Mineral Oil	mg/ l	-	-	-	BLQ(LOQ:1.0)
44	6.2/Table 2/xvii	Selenium	mg/ l	-	-	-	BLQ(LOQ:0.002)
45	6.2/Table 2/xvi	Alkalinity	mg/ l	75.0	400.0	-	282.0
46	6.2/Table 2/xv	Sodium	mg/ l	-	150.0	-	12.2
47	6.2/Table 2/xiv	Calcium	mg/ l	-	100.0	-	70.3
48	6.2/Table 2/xiii	Magnesium	mg/ l	-	50.0	-	9.8
49	6.2/Table 2/xii	Sulphate	mg/ l	-	200.0	-	1.7
50	6.2/Table 2/xi	Chloride	mg/ l	-	200.0	-	4.6
51	6.2/Table 2/x	Silver	mg/ l	-	-	-	BLQ(LOQ:0.002)
52	6.2/Table 2/ix	Borate	mg/ l	-	0.5	Mg/l	0.017 (mg/l)
53	6.2/Table 2/viii	Antimony	mg/ l	-	-	-	BLQ(LOQ:0.002)
54	6.2/Table 2/vii	Barium	mg/ l	-	0.7	Mg/l	0.033 (mg/l)
55	6.2/Table 2/vi	Fluoride	mg/ l	-	1.0	-	0.25
56	6.2/Table 2/v	Copper	mg/ l	-	-	-	BLQ(LOQ:0.002)
57	6.2/Table 2/iv	Manganese	mg/ l	-	-	-	BLQ(LOQ:0.002)
58	6.2/Table 2/iii	Sulphide	mg/ l	-	-	-	BLQ(LOQ:0.05)
59	6.2/Table 2/ii	Nitrite	mg/ l	-	-	-	BLQ(LOQ:0.02)
60	6.2/Table 2/i	Nitrate	mg/ l	-	50.0	-	7.6
61	6.2/Table 1/vi	pH Value	pH	6.5	8.5	-	7.83
62	6.2/Table 1/v	Total Dissolved	mg/ l	150.0	700.0	-	348.0
63	6.2/Table 1/iv	Turbidity	NTU	-	-	-	Less than 0.5
64	6.2/Table 1/iii	Taste	Agreeable	-	-	-	Agreeable, Action tendency scale 'a'
65	6.2/Table 1/ii	Odour	Agreeable/Non Agreeable	-	-	-	Agreeable
66	6.2/Table 1/i	Colour	HZ	-	2.0	-	1.0

This is a Computer Generated Report.

.....  
PART D. REMARKS

NA- Not Applicable, LOQ- Limit of Quantification, BLQ- Below limit of Quantification. Sample Submitted by Customer


---

**Vikrant Saini**  
**OIC Chemical**  
(Authorized Signatory)  
Authorized on: 20 Jun, 2025 12:52 PM

This is a Computer Generated Report.

## TAX INVOICE (ORIGINAL/DUPLICATE)

<b>GSTIN.06AAECI0497E1ZP</b>	<b>Lic No.Lab-3D(1)88</b>	<b>PAN No.AAECI0497E</b>
<b>Organisation Name</b> Bureau of Indian Standards (HPBO)		<b>Invoice No.</b> IN01WT2506200056
<b>Billing Address</b> Plot No.4-A, Sector-27 B, Madhya Marg, Chandigarh Chandigarh, Chandigarh India		<b>Dated</b> 20-06-2025
<b>GSTIN.</b> 04AAATB0431G2ZI		

S. No.	Sample Name	Batch No.	Report No.	Amount
1	Packaged Natural Mineral Water	Trial 01 (Code: PRBO/69701/20250529/SM/1)	TR01WT-2506190052	11,800
<b>Amount (In Words) Rs.</b>				<b>Net Amount</b> 11,800.00
Thirteen Thousand Nine Hundred and Twenty Four only.				<b>Taxable Amount</b> 11,800.00
				<b>Integrated Goods &amp; Service Tax(18%)</b> 2,124.00
				<b>Grand Total</b> 13,924.00
<b>SAC/HSN Code-998346 (Technical Testing &amp; Analysis Services)</b> <b>Bank Details (for all services mentioned above)</b> Account Name : Interstellar Testing Centre Private Limited Bank Name : Kotak Mahindra Bank Account No. : 0250133466 Account Type : Overdraft IFSC Code : KKBK0004203 Bank Address : Sector 11, Panchkula, Haryana		<b>For INTERSTELLAR TESTING CENTRE PVT.LTD.</b>		
<b>Terms &amp; Conditions</b> <ul style="list-style-type: none"> <li>Interest @ 2 % p.m. will be charged if the bill is not paid within 30 days</li> <li>All payments to be made through at par cheques/Drafts</li> <li>Unless otherwise stated.Tax on this invoice is not payee under reverse charge</li> <li>We are falling under MSMED Act.Please release the payment within 45 days</li> <li>All disputes are subject to Panchkula Jurisdiction only</li> </ul>		 Authorised Signatory		



## TEST REPORT

Report No. : TR01WT-2506190052

ULR No. : TC1489625000014112F

### Issued To :

#### Bureau of Indian Standards (HPBO)

Plot No.4-A, Sector-27 B, Madhya Marg, Chandigarh  
Chandigarh, 160019  
Chandigarh, India

Sample Registration No. : SR01WT-2506040002

Sample Name<sup>#</sup> : Packaged Natural Mineral Water

Sample Condition : Good

#### Sample Details (if any)

Sample Quantity<sup>#</sup> : 2x20 Ltr

Packaging Mode<sup>#</sup> : Packed in Pet Jars

Batch No./QR Code<sup>#</sup> : Trial 01 (Code: PRBO/69701/20250529/SM/1)

Date of Manufacture<sup>#</sup> : 29.05.2025

Official Seal<sup>#</sup> : Sealed

Sample Submission Type : Submitted

Customer Reference<sup>#</sup> : Letter/31-05-2025

Any Other Information<sup>#</sup> : QR Code: 100000847498 [25C652DP & 25B7023P]

Test Report as per<sup>#</sup> : IS:13428:2024

Received On : 04-06-2025

Commenced On : 04-06-2025

Completed On : 18-06-2025

Date of Report : 19-06-2025

Grade<sup>#</sup> : NA

Date of Expiry<sup>#</sup> : 30 days from DOM

Official Signature : Signed

Brand<sup>#</sup> : NS

S. No.	Parameter	Measuring Unit	Instrument	Method	Result	Requirements
<b>Description:</b> Clear colourless liquid						
<b>Discipline : Chemical</b>						
<b>Group : Water</b>						
<b>1 Organoleptic &amp; Physical Parameter</b>						
1	Colour,true colour unit	NA	Visual Examination	IS:3025 (Part 4):2021	1	Max. 2
2	Odour	NA	Organoleptic	IS:3025(Part 5):2018	Agreeable	Agreeable
3	Taste	NA	Organoleptic	IS 3025(Part-8):2023	Agreeable (Action tendency scale (a))	Agreeable (Action tendency scale (a) or (b) or (c))
4	Turbidity	NTU	Turbidity Meter	IS 3025(Part-10):2023	<0.5	2 Max.
5	pH Value	NA	pH Meter	IS:3025(Part-11):2022	7.83	6.5 - 8.5
<b>2 General Parameters</b>						
6	Total Dissolved Solids	mg/L	Gravimetric	IS:3025(Part 16):2023	348	150 - 700
7	Phenolic compounds(as C6H5OH)	mg/L	UV-Spectrophotometer	IS:3025(P-43/Sec-1)-2022	BLQ(LOQ:0.001)	0.001 Max.
8	Nitrate (as NO3)	mg/L	UV-Spectrophotometer	APHA 24th Edition 2023, 4500 NO3, B	7.6	50 Max.



Authorized Signatory

Name : Deepika Heera

Discipline : Biological

Date : 19/06/2025



Authorized Signatory

Name : Shikha Saini

Discipline : Chemical

Date : 19/06/2025



Authorized Signatory

Name : Vikrant Saini

Discipline : Chemical

Date : 19/06/2025

### Disclaimer :

- The report is only for the sample tested. • The test report shall not be reproduced except in full without the written approval of the laboratory. • If samples not consumed during analysis, it will be stored and retain as per company policy. • Samples not drawn by us unless otherwise stated.
- Total liability of ITC Labs is limited to the invoiced amount. • Legal disputes are subjected to Panchkula Jurisdiction only. • Test report in full or parts shall not be used for promotional or publicity purposes



## TEST REPORT

Report No. : TR01WT-2506190052

ULR No. : TC1489625000014112F

S. No.	Parameter	Measuring Unit	Instrument	Method	Result	Requirements
9	Nitrite(as NO <sub>2</sub> )	mg/L	UV-Spectrophotometer	IS:3025 (Part 34):Sec-1:2023	BLQ(LOQ:0.02)	0.02 Max.
10	Copper as Cu	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	1.0 Max.
11	Barium(as Ba)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	0.033	1.0 Max.
12	Antimony(as Sb)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	Max. 0.005
13	Borate (as B)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	0.017	5 Max.
14	Silver(as Ag)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	0.005	0.01 Max.
15	Chloride(as Cl)	mg/L	Titration	IS:3025(Part 32):1988 (RA:2019)	4.6	200 Max.
16	Sulphate(as SO <sub>4</sub> )	mg/L	UV-Spectrophotometer	IS : 3025 (Part 24): Sec1:2022	1.7	200 Max.
17	Magnesium as Mg	mg/L	By Calculation	IS:3025(Part 46):2023	9.8	50 Max.
18	Calcium(as Ca)	mg/L	Titration	IS 3025 (Part 40):2024	70.3	100 Max.
19	Total Alkalinity(as HCO <sub>3</sub> )	mg/L	Titration	IS:3025 (Part 23):2023	282	75 - 400
20	Selenium(as Se)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.05 Max.
21	Mineral Oil	mg/l	FTIR	IS:3025(Part 39):2021	BLQ(LOQ:1.0)	1.0 Max.
22	Anionic Surface active Agents, as MBAS	mg/l	UV-Spectrophotometer	IS 3025 (Part 68):2019	BLQ(LOQ:0.05)	Not Detectable
23	Sodium as Na	mg/L	Flame Photometer	IS: 3025 (P-45)-2024	12.2	150 Max.
24	Manganese(as Mn)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	2.0 Max
25	Fluoride(as F)	mg/l	Ion Selective Electrode	IS : 3025 (Part 60: Sec-1) : 2023	0.25	1.0 Max
26	Sulphide (as H <sub>2</sub> S)	mg/l	Titration	IS:3025(Part 29):2022	BLQ(LOQ:0.05)	0.05 Max
<b>3</b>	<b>Pesticide Residues</b>					
27	DDT(o,p and p,p-isomers of DDT,DDE and DDD)	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
28	Gamma-HCH(Lindane)	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
29	Delta HCH	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max



**Authorized Signatory**  
Name : Deepika Heera  
Discipline : Biological  
Date : 19/06/2025



**Authorized Signatory**  
Name : Shikha Saini  
Discipline : Chemical  
Date : 19/06/2025



**Authorized Signatory**  
Name : Vikrant Saini  
Discipline : Chemical  
Date : 19/06/2025

**Disclaimer :**

- The report is only for the sample tested. • The test report shall not be reproduced except in full without the written approval of the laboratory. • If samples not consumed during analysis, it will be stored and retain as per company policy. • Samples not drawn by us unless otherwise stated.
- Total liability of ITC Labs is limited to the invoiced amount. • Legal disputes are subjected to Panchkula Jurisdiction only. • Test report in full or parts shall not be used for promotional or publicity purposes



## TEST REPORT

Report No. : TR01WT-2506190052

ULR No. : TC1489625000014112F

S. No.	Parameter	Measuring Unit	Instrument	Method	Result	Requirements
30	Endosulfan (alpha,beta and sulphate)	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max.
31	Monocrotophos	mg/L	LCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
32	Chlorpyrifos	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
33	Phorate	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
34	Phoratesulphone	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
35	Phoratesulphoxide	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
36	2,4-Dichlorophenoxyacetic acid	mg/L	LCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
37	Butachlor	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
38	Isoproturon	mg/L	LCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
39	Alachlor	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
40	Atrazine	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
41	Methyl Parathion	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
42	Methyl Paraoxon	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
43	Malathion	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
44	Malaoxon	mg/L	LCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
45	Alpha HCH	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
46	Beta HCH	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max.
47	Aldrin & Dieldrin	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max
48	Ethion	mg/L	GCMSMS	STP/ITC/EW/029	BLQ(LOQ:0.00001)	0.0001 Max.
<b>4</b>	<b>Parameters Concerning Toxic Substances</b>					
49	Cadmium(as Cd)	mg/ l	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.003 Max
50	Cyanide(as CN)	mg/ l	UV-Spectrophotometer	IS: 3025 (P-27/Sec-1)-2021	Absent	Absent
51	Lead(as Pb)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.01 Max
52	Mercury(as Hg)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.001)	0.001 Max
53	Nickel(as Ni)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.02 Max
54	Total Arsenic(as As)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.01 Max
55	Total Chromium(as Cr)	mg/L	ICPMS	IS 3025 (Part 65) : 2022	BLQ(LOQ:0.002)	0.05 Max
56	Polychlorinated biphenyls(as PCB)	mg/L	GCMSMS	STP/ITC/EW/030	BLQ(LOQ:0.00001)	Not detectable
57	Polynuclear aromatic hydrocarbons	mg/ l	GCMSMS	STP/ITC/EW/030	BLQ(LOQ:0.00001)	Not detectable
58	Uranium	mg/L	ICPMS	IS 3025 (Part 65) :	0.003	0.03 Max.



**Authorized Signatory**  
Name : Deepika Heera  
Discipline : Biological  
Date : 19/06/2025



**Authorized Signatory**  
Name : Shikha Saini  
Discipline : Chemical  
Date : 19/06/2025



**Authorized Signatory**  
Name : Vikrant Saini  
Discipline : Chemical  
Date : 19/06/2025

**Disclaimer :**

- The report is only for the sample tested. • The test report shall not be reproduced except in full without the written approval of the laboratory. • If samples not consumed during analysis, it will be stored and retain as per company policy. • Samples not drawn by us unless otherwise stated.
- Total liability of ITC Labs is limited to the invoiced amount. • Legal disputes are subjected to Panchkula Jurisdiction only. • Test report in full or parts shall not be used for promotional or publicity purposes



## TEST REPORT

Report No. : TR01WT-2506190052

ULR No. : TC1489625000014112F

S. No.	Parameter	Measuring Unit	Instrument	Method	Result	Requirements
				2022		
<b>Discipline : Biological</b>						
<b>Group : Water</b>						
<b>5 Microbiological Tests</b>						
59	E.coli	250 ml	Microbiological	IS: 15185	Absent/250ml	Absent
60	Faecal Streptococci	250 ml	Microbiological	IS 15186	Absent/250ml	Absent
61	Staphylococcus aureus	250 ml	Microbiological	IS: 5887 (P-2)	Absent/250ml	Absent
62	Sulphite reducing anerobes	50ml	Microbiological	Anx. C of IS: 13428	Absent/50ml	Absent
63	Pseudomonas aeruginosa	250 ml	Microbiological	Anx. D of IS:13428	Absent/250ml	Absent
64	Yeast & mould count	250 ml	Microbiological	IS: 5403:1999	Absent/250ml	Absent
65	Salmonella	250 ml	Microbiological	IS: 15187	Absent/250ml	Absent
66	Shigella	250 ml	Microbiological	IS: 5887 (P-7)	Absent/250ml	Absent
67	Vibrio cholera	250 ml	Microbiological	IS:5887(Part-5/Sec-1):2023	Absent/250ml	Absent
68	V.parahaemolyticus	250 ml	Microbiological	IS:5887(Part-5/Sec-1):2023	Absent/250ml	Absent
69	Coliform	250 ml	Microbiological	IS: 15185	Absent/250ml	Absent

# represents Customer Defined Fields

**NOTE** : NA- Not Applicable, LOQ- Limit of Quantification, BLQ- Below limit of Quantification. Sample Submitted by Customer

**REMARKS** : N/A

\*\*\*\*\*End of Report\*\*\*\*\*



**Authorized Signatory**  
Name : Deepika Heera  
Discipline : Biological  
Date : 19/06/2025



**Authorized Signatory**  
Name : Shikha Saini  
Discipline : Chemical  
Date : 19/06/2025



**Authorized Signatory**  
Name : Vikrant Saini  
Discipline : Chemical  
Date : 19/06/2025

Disclaimer :

- The report is only for the sample tested. • The test report shall not be reproduced except in full without the written approval of the laboratory. • If samples not consumed during analysis, it will be stored and retain as per company policy. • Samples not drawn by us unless otherwise stated.
- Total liability of ITC Labs is limited to the invoiced amount. • Legal disputes are subjected to Panchkula Jurisdiction only. • Test report in full or parts shall not be used for promotional or publicity purposes